

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/776,203	02/12/2004	Rajiv Yadav Ranjan	50103-553	2760
7590 01/18/2007 MCDERMOTT, WILL & EMERY			EXAMINER	
600 13th Street, Washington, Do			MCDONALD, RODNEY GLENN	
	20003 3030		ART UNIT	PAPER NUMBER
			1753	
SHORTENED STATUTORY	PERIOD OF RESPONSE	MAIL DATE		
	TELESCONSE	MAIL DATE	DELIVERY MODE	
3 MONTHS		01/18/2007	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

	Application No.	Applicant(s)			
	10/776,203	RANJAN ET AL.			
Office Action Summary	Examiner	Art Unit			
	Rodney G. McDonald	1753			
The MAILING DATE of this communication apperiod for Reply	pears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING D - Extensions of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailine earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION (36(a). In no event, however, may a reply be time will apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONE	V. nely filed the mailing date of this communication. D (35 U.S.C. § 133).			
Status					
1) Responsive to communication(s) filed on	<u>_</u> .	•			
	s action is non-final.				
3) Since this application is in condition for allowa	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is				
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims					
4) Claim(s) 1-23 is/are pending in the application					
4a) Of the above claim(s) is/are withdrawn from consideration.					
5) Claim(s) is/are allowed.					
6)⊠ Claim(s) <u>1-23</u> is/are rejected.					
7) Claim(s) is/are objected to.					
8) Claim(s) are subject to restriction and/o	or election requirement.				
Application Papers					
9) The specification is objected to by the Examine	er.				
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.					
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).					
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).					
11)☐ The oath or declaration is objected to by the E	xaminer. Note the attached Office	Action or form PTO-152.			
Priority under 35 U.S.C. § 119	,				
 12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document 		-(d) or (f).			
2. Certified copies of the priority document		on No			
Copies of the certified copies of the price application from the International Burea	rity documents have been receive	, —			
* See the attached detailed Office action for a list	of the certified copies not receive	d.			
Attach mant(a)					
Attachment(s) 1) Notice of References Cited (PTO-892)	4) Interview Summary	(PTO-413)			
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) Paper No(s)/Mail Date					
(a) ☐ Information Disclosure Statement(s) (PTO/SB/08)					
, apoi mono dato <u>E 12 01</u> .	3,	<u> </u>			

Art Unit: 1753

DETAILED ACTION

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1 and 13 are rejected under 35 U.S.C. 102(b) as being anticipated by Masahide (Japan 06-158311).

Regarding claims 1, 13, Masahide teach a cathode sputtering apparatus and method for forming a uniform thickness layer of a selected material on at least one surface of a substrate in a multi stage process comprising deposition of a plurality of sublayers. (See Abstract; Example; Fig. 1; Fig. 5; Machine translation paragraph 0038-0042) In Figs. 1 and 5 a first group of spaced apart cathode assemblies are present. (See Figs. 1 and 5) The substrate is moved in the direction of arrows past the group of targets which implies a means for transporting for depositing a plurality of sub-layers on the first surface of the substrate. (See Figs. 1 and 5) Each target assembly of the first group of target assemblies comprises a sputtering surface oriented substantially parallel to the first surface of the substrate. (See Figs. 1, 5) The first group of target assemblies is adapted to provide sub-layers with different sputter film thickness profiles such that the first plurality of sub-layers collectively form a uniform thickness layer of selected material. (See Fig. 1, 5 and especially (a), (b), (c) and (d) diagrams which shows the sum of the different profiles forming a final uniform thickness profile of (d))

Art Unit: 1753

Claims 1 and 13 are rejected under 35 U.S.C. 102(b) as being anticipated by Nagano (Japan 01-287269).

Regarding claims 1, 13, Nagano teach a cathode sputtering apparatus and method for forming a uniform thickness layer of a selected material on at least one surface of a substrate in a multi stage process comprising deposition of a plurality of sublayers. (See Abstract; Figs 1, 2) In Fig. 1 a first group of spaced apart cathode assemblies are present. (See Fig. 1) The substrate is moved by rollers past the targets for depositing a plurality of sub-layers on the first surface of the substrate. (See Fig. 1) Each target assembly of the first group of target assemblies comprises a sputtering surface oriented substantially parallel to the first surface of the substrate. (See Fig. 1) The first group of target assemblies is adapted to provide sub-layers with different sputter film thickness profiles such that the first plurality of sub-layers collectively form a uniform thickness layer of selected material. (See Figs. 1, 2; From Figure 2 is shown that target 10 forms the profile a and targets 12 form the profile b. The sum of the profiles a and b form the uniform thickness profile c for the substrate.)

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of

Art Unit: 1753

the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

Claims 2-8, 11, 14-17 and 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over in view of Hedgcoth (U.S. Pat. 4,894,133) in view of Masahide (Japan 06-158311).

Regarding claim 2, Hedgcoth teach providing targets to coat both sides of a substrate. (See Fig. 1; Column 4 lines 31-35)

Regarding claim 3, Hedgcoth suggest locating target in vertical registry. (See Figs. 1 and 2)

Regarding claim 4, Hedgcoth locating targets 42 in a single vacuum chamber. (See Figs. 1 and 2)

Regarding claim 5, Hedgcoth suggest an in-line arrangement. (See Figs. 1 and 2)

Regarding claim 6, Hedgcoth suggest locating targets 42 and 44 in different vacuum chambers. (See Figs. 1 and 2; Column 4 lines 7-8)

Regarding claim 7, Hedgcoth suggest the plurality of vacuum chamber arranged in-line. (See Figs. 1 and 2)

Art Unit: 1753

Regarding claim 8, Hedgcoth suggest that the targets should be magnetron targets. (Column 4 lines 33-35; Column 4 lines 52-55)

Regarding claim 11, Hedgcoth suggest means 6 for transporting and mounting at least one disk shaped workpiece. (Column 4 line 4; Fig. 2)

Regarding claim 15, Hedgcoth suggest locating target in vertical registry. (See Figs. 1 and 2) Hedgcoth teach forming coatings on each of the first and second surface simultaneously. (See Figs. 1, 2)

Regarding claim 16, Hedgcoth suggest an in-line arrangement. (See Figs. 1 and 2)

Regarding claim 17, Hedgcoth suggest the plurality of vacuum chambers arranged in-line. (See Figs. 1 and 2)

Regarding claim 20, Hedgcoth suggest means 6 for transporting and mounting at least one disk shaped workpiece. (Column 4 line 4; Fig. 2)

The differences between Hedgcoth and the present claims is that utilizing groups of targets to coat both sides of the substrate to produce a uniform thin film is not discussed. (Claims 2, 14)

Regarding claims 2, 14, Since Masahide recognize utilizing a group of targets to form a uniform thin film it would be obvious to replace the single targets of Hedgcoth (i.e. targets on both sides of the substrate) with groups of targets as taught Masahide because one of ordinary skill in the art would look to producing uniform thin films. (See Masahide discussed above)

Art Unit: 1753

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have modified Hedgcoth by utilizing the features of Masahide because it allows for producing thin films on a substrate.

Claims 9 and 18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hedgcoth (U.S. Pat. 4,894,133) in view of Masahide (Japan 06-158311) as applied to claims 2-8, 11, 14-17 and 20 above, and further in view of Nagano (Japan 01-287269).

The difference not yet discussed is where the magnetron magnet means of at least some of the planar magnetron target assemblies are of different lengths, widths or diameters.

Regarding claims 9 and 18, Nagano teach target assembly 10 having a different length and different width than the other targets 13. Since the targets are of different lengths and widths it would follow that magnetrons utilized would be of different lengths and widths. (See Nagano discussed above)

The motivation for utilizing the features of Nagano is that it allows for forming a film of uniform thickness. (See Abstract)

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have utilized the features of Nagano because it allows for forming a film of uniform thickness.

Claims 10 and 19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hedgcoth (U.S. Pat. 4,894,133) in view of Masahide (Japan 06-158311) as applied to claims 2-8, 11, 14-17 and 20 above, and further in view of Siebert (U.S. Pat. 4,858,556).

Art Unit: 1753

The difference not yet discussed is locating targets at different spacings to form the uniform film. (Claims 10 and 19)

Regarding claims 10 and 19, Siebert teach changing distances between a source and substrate to form a uniform thin film. (Column 3 lines 31-37) It therefore follows that having targets in groups at different spacings would achieve the same uniform thin film.

The motivation for utilizing targets at different spacings is that it allows for achieving a uniform thin film. (Column 3 lines 31-37)

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have utilized targets at different spacings as taught by Siebert et al. because it allows for achieving uniform thin films.

Claims 12 and 21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hedgcoth (U.S. Pat. 4,894,133) in view of Masahide (Japan 06-158311) as applied to claims 2-8, 11, 14-17 and 20 above, and further in view of Mukai et al. (U.S. Pat. 5,441,615).

The difference not yet discussed is the use of shield members. (Claims 12 and 21)

Regarding claims 12, 21, Mukai et al. teach utilizing deposition shield members for targets. (Column 3 lines 30-32)

The motivation for utilizing the features of Mukai et al. is that it allows for preventing sputtered particles from dispersing to the outside of the deposition shield members. (Column 2 lines 61-65)

Art Unit: 1753

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have utilized the features of Mukai et al. because it allows for preventing sputtered particles from dispersing to the outside of the deposition shield members.

Claims 22 and 23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hedgcoth (U.S. Pat. 4,894,133) in view of Masahide (Japan 06-158311) as applied to claims 2-8, 11, 14-17 and 20 above, and further in view of Nasu et al. (U.S. Pat. 5,326,637).

The differences not yet discussed is depositing a perpendicular magnetic recording medium on a magnetically soft underlayer (claim 22) and the magnetic soft underlayer being 500 to 4,000 Angstroms and being Fe or Fe-Co (claim 23).

Regarding claim 22, Nasu et al. teach depositing a magnetic recording medium by sputtering on a magnetically soft underlayer. (See Abstract)

Regarding claim 23, the magnetic soft underlayer can be Fe, Fe-Co. (See Abstract). The thickness can be 500 Angstroms. (Column 5 lines 28-35)

The motivation for utilizing the features of Nasu et al. is that it allows for producing a film with high recording density and reproduction output. (See Abstract)

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have utilized the features of Nasu et al. because it allows for producing a film with high recording density and reproduction output.

Art Unit: 1753

Claims 2-9, 11, 14-18 and 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over in view of Hedgcoth (U.S. Pat. 4,894,133) in view of Nagano (Japan 01-287269).

Regarding claim 2, Hedgcoth teach providing targets to coat both sides of a substrate. (See Fig. 1; Column 4 lines 31-35)

Regarding claim 3, Hedgcoth suggest locating target in vertical registry. (See Figs. 1 and 2)

Regarding claim 4, Hedgcoth locating targets 42 in a single vacuum chamber. (See Figs. 1 and 2)

Regarding claim 5, Hedgcoth suggest an in-line arrangement. (See Figs. 1 and 2)

Regarding claim 6, Hedgcoth suggest locating targets 42 and 44 in different vacuum chambers. (See Figs. 1 and 2; Column 4 lines 7-8)

Regarding claim 7, Hedgcoth suggest the plurality of vacuum chamber arranged in-line. (See Figs. 1 and 2)

Regarding claim 8, Hedgcoth suggest that the targets should be magnetron targets. (Column 4 lines 33-35; Column 4 lines 52-55)

Regarding claim 11, Hedgcoth suggest means 6 for transporting and mounting at least one disk shaped workpiece. (Column 4 line 4; Fig. 2)

Regarding claim 15, Hedgcoth suggest locating target in vertical registry. (See Figs. 1 and 2) Hedgcoth teach forming coatings on each of the first and second surface simultaneously. (See Figs. 1, 2)

Art Unit: 1753

2)

Regarding claim 16, Hedgcoth suggest an in-line arrangement. (See Figs. 1 and

Regarding claim 17, Hedgcoth suggest the plurality of vacuum chambers arranged in-line. (See Figs. 1 and 2)

Regarding claim 20, Hedgcoth suggest means 6 for transporting and mounting at least one disk shaped workpiece. (Column 4 line 4; Fig. 2)

The differences between Hedgcoth and the present claims is that utilizing groups of targets to coat both sides of the substrate to produce a uniform thin film is not discussed (Claims 2, 14) and the magnetron magnet means of at least some of the planar magnetron target assemblies are of different lengths, widths or diameters (Claims 9 and 18).

Regarding claims 2, 14, Since Nagano recognize utilizing a group of targets to form a uniform thin film it would be obvious to replace the single targets of Hedgcoth (i.e. targets on both sides of the substrate) with groups of targets as taught Nagano because one of ordinary skill in the art would look to producing uniform thin films. (See Nagano discussed above)

Regarding claims 9 and 18, Nagano teach target assembly 10 having a different length and different width than the other targets 13. Since the targets are of different lengths and widths it would follow that magnetrons utilized would be of different lengths and widths. (See Nagano discussed above)

The motivation for utilizing the features of Nagano is that it allows for forming a film of uniform thickness. (See Abstract)

Art Unit: 1753

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have modified Hedgcoth by utilizing the features of Nagano because it allows for producing thin uniform films on a substrate.

Claims 10 and 19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hedgcoth (U.S. Pat. 4,894,133) in view of Nagano (Japan 01-287269) as applied to claims 2-9, 11, 14-18 and 20 above, and further in view of Siebert (U.S. Pat. 4,858,556).

The difference not yet discussed is locating targets at different spacings to form the uniform film. (Claims 10 and 19)

Regarding claims 10 and 19, Siebert teach changing distances between a source and substrate to form a uniform thin film. (Column 3 lines 31-37) It therefore follows that having targets in groups at different spacings would achieve the same uniform thin film.

The motivation for utilizing targets at different spacings is that it allows for achieving a uniform thin film. (Column 3 lines 31-37)

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have utilized targets at different spacings as taught by Siebert et al. because it allows for achieving uniform thin films.

Claims 12 and 21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hedgcoth (U.S. Pat. 4,894,133) in view of Nagano (JP 01-287269) as applied to claims 2-9, 11, 14-18 and 20 above, and further in view of Mukai et al. (U.S. Pat. 5,441,615).

Art Unit: 1753

The difference not yet discussed is the use of shield members. (Claims 12 and 21)

Regarding claims 12, 21, Mukai et al. teach utilizing deposition shield members for targets. (Column 3 lines 30-32)

The motivation for utilizing the features of Mukai et al. is that it allows for preventing sputtered particles from dispersing to the outside of the deposition shield members. (Column 2 lines 61-65)

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have utilized the features of Mukai et al. because it allows for preventing sputtered particles from dispersing to the outside of the deposition shield members.

Claims 22 and 23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hedgcoth (U.S. Pat. 4,894,133) in view of Nagano (Japan 01-287269) as applied to claims 2-8, 11, 14-17 and 20 above, and further in view of Nasu et al. (U.S. Pat. 5,326,637).

The differences not yet discussed is depositing a perpendicular magnetic recording medium on a magnetically soft underlayer (claim 22) and the magnetic soft underlayer being 500 to 4,000 Angstroms and being Fe or Fe-Co (claim 23).

Regarding claim 22, Nasu et al. teach depositing a magnetic recording medium by sputtering on a magnetically soft underlayer. (See Abstract)

Regarding claim 23, the magnetic soft underlayer can be Fe, Fe-Co. (See Abstract). The thickness can be 500 Angstroms. (Column 5 lines 28-35)

Art Unit: 1753

The motivation for utilizing the features of Nasu et al. is that it allows for producing a film with high recording density and reproduction output. (See Abstract)

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have utilized the features of Nasu et al. because it allows for producing a film with high recording density and reproduction output.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Rodney G. McDonald whose telephone number is 571-272-1340. The examiner can normally be reached on M- Th with Every other Friday off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nam X. Nguyen can be reached on 571-272-1342. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

> Rodney G. McDonald Primary Examiner

Art Unit 1753

RM January 10, 2007